

# SIGSAUER®

**PISTOLS • RIFLES** 

SIG SAUER GmbH & Co. KG • Sauerstr. 2-6 • 24340 Eckernfoerde, Germany • +49 (0)4351 4710 • info@sigsauer.de

Certified according to DIN EN ISO 9001:2015.

All specifications subject to change. FIREARMS AVAILABLE THROUGH QUALIFIED SIG SAUER RETAILERS AND FOR PERMIT HOLDERS ONLY.

History	
	4
Company	6
PISTOLS	8
Pistol Guide	10
PRECISION	12
P210	14
X-SERIES	16
P220 X-SERIES	18
P226 X-SERIES	20
NEW P320 X-FIVE ALPHA	24
P320 X-FIVE	26
P226 LDC II	27
X-FIVE PRODUCTION OPTICAL	28
P320 RX	29
1911	30
PRACTICAL	32
NEW P226 NXT	34
NEW P320 CARRY HD	36
P226	38
SP2022	39
P320	40
P365	44
MASTERSHOP	46
Sport	48
Prestige	54
Individual	60
Pistol accessories	62
RIFLES	64
Rifel-Guide	66
NEW 200PHOENIX	68
NEW 200MAX	70
TR 200	72
SIG MCX VIRTUS	74
SIG 516	76
SIG 716	77
Rifle accessories	78
COMPETITION/TECHNICAL SPECIFICATIONS	80



## RELIABILITY SINCE 1751

SIG SAUER produces pistols and rifles as well as matching accessories for private shooters, armies and special units in Germany and all around the globe. Regardless of the user the superior quality, the distinctive precision and reliability are valued by every user everywhere.

The company looks back proudly on its long tradition. When Lorenz Sauer founded his own weapons factory in 1751 in Suhl, Germany, his expertise and passion for products of the highest quality were the foundation of the philosophy of SIG SAUER today. Innovative products of remarkable quality quickly led to the standing SIG SAUER still has.

Exactly 200 years later, J.P. Sauer & Sohn - the company had in the meantime been named after Lorenz Sauer's son, Johann Paul, and grandson moved to Eckernförde in northern Germany. In the 1970's the company cooperated with the Schweizerische Industriegesellschaft (SIG), which had a significant effect on the company's brand: SIG SAUER was born.

The company grew and so did the HQ, in which today over 150 employees fulfill the Sauer family's legacy. The entire range of handguns and rifles are now being produced there.

By the year 2000 J.P. Sauer and Sohn GmbH and other companies in the weapons industry such as Blaser, Mauser and SAN Swiss Arms from Switzerland became part of what is now L&O

Holding, leaders in the weapons industry. Another sister company is SIG SAUER, Inc. in the USA which today holds a leading position in the US firearms industry. More than 260 years after Lorenz Sauer made the first move by founding his own weapons factory, many things have changed at SIG SAUER, but some remain the same: The unparalleled quality in combination with a highly motivated team is exactly what professional shooters want - quality, precision and reliability.



## OUR CLAIM: PRECISION DOWN TO THE LAST DETAIL

Today more than 150 employees in Eckernförde (GER) fulfill the Sauer's family legacy and give sophisticated shooters what they expect from SIG SAUER: Quality, precision and reliability.

#### Quality

The highest standards of quality are an inextricable part of the culture of our company. Since quality is crucial for the relationships with our customers, we constantly move the boundaries of what is possible. This is reflected in our certification according to DIN EN ISO 9001:2015.

#### **Precision**

Our precision is the result of perfect coordination between weapon, optics, ammunition and training. That is why it is one of our core features. As an essential part of our quality standards, precision is one of the many assets all our products share in an uncompromising way - be it research, development, the production itself or our customer service.


#### Reliability

You need to rely on your gear instinctively in every situation. Hence reliability is the third core element that makes our philosophy complete. Reliability is not only limited to our products, but also counts especially for us as your partner. Being a trustworthy advisor and innovation leader, we offer you solutions tailored to your needs - you can rely on us!



"Being the innovator in our business, we are leading in terms of quality, precision and reliability - always with the focus on our customers."

Tim Castagne, CFO SIG SAUFR GmbH & Co. KG



## **PURSUIT OF PERFECTION**

For everyone that makes no compromises: Engineered to perform anywhere, at any time, and under any circumstance, SIG SAUER pistols boast unique, advanced features that stand out among the rest. Key features include:



Multi-Position-Sight



1913 Picatinny rail with spot for X-Mount





Nitron® Stainless Steel Slide



Superior Ergonomics



Threaded barrels



SRT™ (Short Reset Trigger)



Front Cocking Serrations

#### SIZING UP YOUR SITUATION

You want a pistol with frame dimensions directly suited to your needs. Whether you'll be sliding your handgun into a range bag or concealing it in a purse, shooting competitively or defending your home, SIG SAUER® offers a pistol for every shooter and scenario.



#### **FULL-SIZE**

When shootability and sighted accuracy are a must. Generous dimensions and even weight distribution help to deliver a more accurate sight picture and reduced felt recoil.



Barrel > 4" Frame > 19 x 14 cm



#### **CARRY**

Optimized shootability. A full-size grip allows the shooter more control while reduced slide length allows for lighter carry.



Barrel ≈ 3.9" Frame 17.8 x 14 cm



#### COMPACT

The reduced slide length and grip height enable easy handling and carry with ergonomics designed to promote point-and-shoot accuracy.





Barrel < 4" Frame ≈ 17.8 x 12.7 cm



#### SUBCOMPACT/MICROCOMPACT

SIG SAUER's subcompact handguns feature even shorter slide length and grip height.



#### TRIGGER TIME

Any expert will tell you, it's the trigger that ultimately puts rounds on target. Weigh the pros and cons of each trigger carefully to select the one you can fire most accurately and carry most confidently.

#### STRIKER-FIRED TRIGGER

#### **STR** | Short Tactile Reset

Once fired the pistol resets quickly with a tactile feel, offering less time between shots.

#### **HAMMER-FIRED TRIGGERS**

#### **DA/SA** | Double-Action/Single-Action

The first trigger pull performs the double-action of cocking the hammer and then releasing the sear. This is followed by lighter, single action trigger pulls on all subsequent shots. The heavier first trigger pull acts to reduce inadvertent discharges.

Decocking Lever Short Reset available

#### **SAO** | Single-Action-Only

The trigger performs the single-action of releasing the hammer with a consistent trigger pull that is generally regarded as the shortest, lightest, and smoothest available. The slide can still be actuated with the safety engaged (a SIG exclusive). All models feature a manual thumb safety.

#### Manual Thumb Safety

#### **DAO** | Double-Action-Only

Every trigger pull performs two actions: first, cocking the hammer, and second, releasing the sear. The pistol remains decocked after each shot and does not require an external safety.

#### FAT | Fully Adjustable Trigger

The fully adjustable trigger enables a simple adjustment of the weight of the trigger, triggerstop and the position of the trigger. A trigger that can be adjusted as you need it.

Weight: 1000-1600 grams

Distance: infinitely variable on 10mm and

triggerstop

#### THE CALIBER DEBATE

Popular opinions vary widely. Only you can select the best caliber for you. In addition to the right combination of bullet weight and velocity, think about your desired magazine capacity, plus ammunition cost and availability.



#### **10MM**

Higher velocity, greater reach and more muzzle energy than .45ACP



#### .45ACP

Known for a combination of power and controlled penetration, due to a large diameter bullet and moderate velocities.



#### .40S&W

Designed to match the performance of the FBI's reduced-velocity 10 mm in a smaller cartridge size while offering an energy advantage over the 9x19 mm.




#### 9x19

Regarded as the world's most popular and widely used handgun cartridge. It combines a flat trajectory with relatively low felt recoil.



#### .22LR

Lightest and most affordable rounds in handguns, the .22LR is ideal for target shooting and training.



## **PRECISION**

SIG SAUER is the partner for ambitious sports shooters. Be it dynamic or static disciplines: SIG SAUER always provides the adequate answer. In terms of quality, production and precision SIG SAUER is incomparable. .

## **PRACTICAL**

SIG SAUER offers hunters and sports shooters a variety of weapons that impress in their practicability. Timeless classics and legends of shooting sports are available here.

## **MASTERSHOP**

The Mastershop fulfills individual wishes with detailed manual craftsmanship. Enthusiasts for individual and exclusive weapons: Welcome to the Mastershop ...

**SPORT** 

**PRESTIGE** 

INDIVIDUAL

						NEW		2	2		T
	P210 SUPERTARGET	P210 LEGEND	P220 X-SIX	X-FIVE	x-six	P320 X-FIVE	P320 X-FIVE	P226 LDC II	X-FIVE PRODUCTION OPTICS	P320RX	1911
<b>.22</b> LFB			10								
<b>9</b> x19	8	8	9	19	19	17)	17)	17	17)	15 (17)	10
<b>.40</b> S&W				14)							
<b>.45</b> ACP			8								8

	NEW	NEW	NEW	The same of the sa			Q.
	P226 NXT	P229 NXT	P320 CARRY HD	P226 SL SO BT	SP2022	P320	P365
<b>9</b> x19	(17)	15	(17)	(15) (17)	15	12 (15) (17)	10 (12) (15)
. <b>45</b> ACP						10	



						M	
	P210 MIDNIGHT	P226 X-SIX MIDNIGHT	X-FIVE BLACK & WHITE	X-FIVE SCANDIC	X-FIVE VIOLINE	X-FIVE CHROME & CARBON	P226 FACETTES
<b>9</b> x19	8	19	19	19	19	19	19




DENOTES MAGAZINE CAPACITY



## **PRECISION**

SIG SAUER is the partner for ambitious sports shooters. Be it dynamic or static disciplines: SIG SAUER always provides the answer. In terms of quality, production and precision, SIG SAUER is incomparable.





## P210®

### **SUPERTARGET**

The eternal classic among sport pistols. Unrivaled and legendary. As close to the original as possible, as modern as necessary.



MICROMETER SIGHT

## TRIGGER SAO 16 N

SIZE/BARREL LENGTH	
FULL-SIZE	5.0" 6.0"

CALIBER	<b>9</b> x19
MAGAZINE CAPACITY	8

ALL SPECIFICATIONS ARE SUBJECT TO CHANGE ( ) DENOTES MAGAZINE CAPACITY

#### P210® SUPERTARGET SILVER 6"

9x19



#### P210® SUPERTARGET **BLACK 5"**

9x19



#### P210® SUPERTARGET SILVER 5"

9x19



9x19

P210® **LEGEND SILVER** 

9x19



## **LEGEND**

We were fascinated about the idea of bringing this legend back to life and to make one of the best handguns in the world even better. The P210 "Legend" by SIG SAUER. Experience Swiss precision - made in Germany.



TRIGGER	
SAO	16 N

**P210 LEGEND** 

9x19

SIZE/BARREL LENGTH	
FULL-SIZE	5.0"

CALIBER	<b>9</b> x19
MAGAZINE CAPACITY	8

ALL SPECIFICATIONS ARE SUBJECT TO CHANGE ( ) DENOTES MAGAZINE CAPACITY

5" barrel



## **SIG SAUER X-SERIES**

The SIG SAUER X-Series embodies the principle of modularity like no other Sports Pistol on the market.

The X-Series offers endless options for shooters to tailor each pistol to their individual needs. Conversion Kits in various calibers open the doors to different disciplines. Fully adjustable Match Triggers are individually tunable in length of pull and weight between 10-16N. Numerous grip plates in different sizes and materials offer all opprtunities to design each pistol to the shooter's desires and needs. Quality and modularity Made in Germany.



## MODULARITY, QUALITY, **PRECISION AND RELIABILITY**

#### X-WEIGHT BARREL WEIGHT 5"/6"

Barrel weights for X-Five and X-Six with rail. Weight 160/275g.

#### X-MOUNT-BRIDGE-KIT 2

Contains X-Mount base plate, side plates. screws, 3 different interaces (for SIG SAUER and other brands) and storage bag.

#### SKELETONIZED TRIGGER

Weight reduction und design upgrade for adjustable SAO trigger systems. More control and optimized geometry.

#### LOW MOUNTED ROMEO RED **DOT SIGHT**

Optional.

#### REAR SIGHT EXCHANGE KIT

For P226 X-Series and P220 X-Six. Contains 2,75 mm, 3,0 mm and 3,5 mm rear sights.

#### SPORT TAKE DOWN LEVER

Extended for better grip.

#### **MAGAZINE RELEASE**

Extended Sport Mag Release for faster and safer handling.

#### X-SERIES GRIP PLATES

Individualize each X-SERIES pistol to the shooters needs.



Factory Precision Requirement for each X-SERIES pistol: 35 mm group with 5 shots.



## P220®

### X-SIX II CLASSIC

The P220 is ergonomically optimal with impressive weight distribution. For outstanding trigger-characteristics and maximum results on the target.



TRIGGER	
FAT	10-16 N

6.0"

<b>9</b> x19	.45 <sub>ACP</sub>
9	8

ALL SPECIFICATIONS ARE SUBJECT TO CHANGE ODENOTES MAGAZINE CAPACITY



## P220® X-SIX SPORT CONVERSION KIT

9x19



- > Stainless Finish
- 6" barrel
- › Adjustable sight
- > 1 magazine
- > 9 rounds magazine capacity

P220® CONVERSION KIT

.22LFB



- › Black hard anodized light metal slide
- › 6" barrel
- › Adjustable sight
- > 2 magazines
- > 9 rounds magazine capacity

P220®

#### X-SIX II PPC

Perfectly matched with the requirements of the popular PPC shooting. Technological brilliance meets flawless design.



MULTI POSITION SIGHT

#### P220 X-SIX II PPC

9x19 .45ACP

- > Triggerstop adjustable
- Direct trigger action
- > Skeletonized hammer
- > Straight match trigger
- › Serrations
- › Optimized beavertail

RIGGER	
FAT	10-16 N

SIZE/BARREL LENGTH	
FULL-SIZE	6.0"

CALIBER	<b>9</b> x19	.45 <sub>ACP</sub>
MAGAZINE CAPACITY	9	8

ALL SPECIFICATIONS ARE SUBJECT TO CHANGE ( ) DENOTES MAGAZINE CAPACITY

#### P220® X-SIX SPORT **CONVERSION KIT PPC**

- > Stainless finish
- → 6" barrel
- > 9x19: Multi-Position Sights
- > .22lr: Micrometer Sights
- > 2 magazines for one caliber each
- > 10 rounds magazine capacity .22LFB
- > 9 rounds magazine capacity



#### P220® X-SIX SPORT **CONVERSION KIT**

9x19



- > Stainless finish
- → 6" barrel
- > Adjustable sight
- > 2 magazines
- > 9 rounds magazine capacity

#### P220® CONVERSION KIT

.22LFB



- > Stainless finish
- > 6" barrel
- › Adjustable sight
- > 2 magazines
- > 9 rounds magazine capacity

### X-FIVE SUPERMATCH

The uncompromising sports equipment with the highest precision and reliability. Perfect for IPSC Standard Division.



#### X-SIX SUPERMATCH

9x19 .40S&W



#### X-SHORT SUPERMATCH

.40S&W



#### **P226 SUPERMATCH**

9x19 .40S&W

- > Skeletonized hammer
- > Steel frame with 1913 Picatinny rail
- > Takedown lever

тн	CALIBER	<b>9</b> x19	.40s&w
4.4" 5.0" 6.0"	MAGAZINE CAPACITY	19)	14



SIZE/BARREL LENGTH	
	4.4"
FULL-SIZE	5.0"
	6.0"

DENOTES MAGAZINE	CAPACITY



#### X-FIVE ALLROUND

Due to its well planned concept, the X-Five Allround meets the requirements of different shooting associations and therefore has diverse applications. Its configuration, quality and accuracy make the X-Five Allround popular with shooters especially in the IPSC Production Division.



9x19 X-FIVE® SO .40S&W > SAO-trigger › Magwell



9x19 .40S&W



- > X-Five inclusive
- > 5 magazines
- > Range bag

> Fixed sight

- > IPSC belt
- > Speedsec
- 3 holster
- > Speedmag 5
- > T-Shirt
- > Cap
- > Cleaning kit for pistols



**P226 ALLROUND** 

9x19

.40S&W

SIZE/BARREL LENGTH	
FULL-SIZE	5.0"

CALIBER	<b>9</b> x19	.40s&w
MAGAZINE CAPACITY	17	(12)

ALL SPECIFICATIONS ARE SUBJECT TO CHANGE ( ) DENOTES MAGAZINE CAPACITY

> Stainless finish

> Takedown lever

> Beavertail

> Serrations



## P226®

### X-FIVE CLASSIC

Modularity, quality, precision and reliability combined with classic design.



P226 X-SIX® CLASSIC

9x19 .40S&W



P226 X-SHORT CLASSIC



9x19 .40S&W

TRIGGER	
FAT	10-16 N

SIZE/BARREL LENGTH	
FULL-SIZE	4.4" 5.0" 6.0"

CALIBER	<b>9</b> x19	.40sew
MAGAZINE CAPACITY	(19)	14)

ALL SPECIFICATIONS ARE SUBJECT TO CHANGE ( ) DENOTES MAGAZINE CAPACITY



## P226®

### X-SIX PPC

Perfectly matched with the requirements of the popular PPC shooting. Technological brilliance meets flawless design.



#### P226 X-SIX PPC

9x19

- > Extended walnut wood grip plates with integrated magwell
- › Adjustable SAO-trigger
- › Straight match trigger
- > Takedown lever
- > Extended magazine catch



SIZE/BARREL LENGT	н
FULL-SIZE	6.0"

CALIBER	<b>9</b> x19
MAGAZINE CAPACITY	19)

ALL SPECIFICATIONS ARE SUBJECT TO CHANGE ( ) DENOTES MAGAZINE CAPACITY





#### **P226 X-SIX PPC HIGHMASTER PACKAGE**

9x19

- X-Six PPC with 6 magazines
- > Speedsec 5 holster
- > 4 mag pouches
- > Belt
- › Range bag
- > Ear muffs
- > T-Shirt
- › Cap
- → Cleaning rod



P320®

#### Made in Germany

The first P320 MADE IN ECKERNFÖRDE

## NA

#### X-FIVE ALPHA

Dynamics redifined. The sum of all its features establish the new P320 X-Five ALPHA as the ultimate weapon for dynamic shooting. Instinctive handling matched with maximum control.



ALL SPECIFICATIONS ARE SUBJECT TO CHANGE ( ) DENOTES MAGAZINE CAPACITY



HEART OF METAL Completely new designed aluminum frame. Sleakest contour and new geometry ensure maximum grip.



GRIP PLATES Interchangeable grip inlays for individual adjustment and style.



TUNGSTEN CORE Two Tungsten elements offer perfect balance in a total gun weight of up to 1.300g.



OPTICS READY For easy mounting of SIG SAUER red dot sights.

TRIGGER	
МАТСН	16 N

SIZE/BARREL LENGTH	
FULL-SIZE	5.0"

<b>9</b> x19	
17)	

ALL SPECIFICATIONS ARE SUBJECT TO CHANGE ODENOTES MAGAZINE CAPACITY



## P320®

## X-FIVE

Skeletonized slide, integrated jetfunnel, straight trigger - everything that professionals need.





Slide lightening cuts



Enhanced flat trigger



17-round magazines



> Skeletonized slide

FULL-SIZE 5.0"	SIZE/BARREL LENGTH	
	FULL-SIZE	5.0"

<b>9</b> x19
17

ALL SPECIFICATIONS ARE SUBJECT TO CHANGE ( ) DENOTES MAGAZINE CAPACITY



P320® X-FIVE

9x19



## P226 LDC II

Designed for the professional user, chosen by elite units. The undisputed original among service pistols as a sports high-performance variant.



## P226 X-FIVE ALLROUND PRODUCTION OPTICAL

Being developed exclusively for the popular IPSC Production Optic Division. This DA/SA Pistol combines the proven features of the P226 with the requirements that come along with IPSC.



ALL SPECIFICATIONS ARE SUBJECT TO CHANGE ( ) DENOTES MAGAZINE CAPACITY

> Lower bore axis > Stainless finish

45/18 N



DA/SA

9x19

TRIGGER



## P320 RX FULL-SIZE

Ruggedness and reliability of the P320 Series combined with speed and precision of the ROMEO1 red dot sight.





P320 RX FULL-SIZE

9x19

Including preassembled Romeol micro reflex sight

M1913 Picatinny rail

TRIGGER	
STR	34 N

SIZE/BARREL LENGTH	
FULL-SIZE	4.7"
СОМРАСТ	3.9"

CALIBER	<b>9</b> x19
MAGAZINE	17)
CAPACITY	15

ALL SPECIFICATIONS ARE SUBJECT TO CHANGE ( ) DENOTES MAGAZINE CAPACITY





Designed together with SIG SAUER-teamshooter and multiple world champion Max Michel, this 1911 offers sophisticated accessories in an unmistakable design.



ALL SPECIFICATIONS ARE SUBJECT TO CHANGE

1911 MAX

9x19

.45ACP





9x19

#### 1911 **STAINLESS SUPER TARGET**

.45ACP





#### 1911 STAINLESS TARGET

.45ACP



#### 1911 CONVERSION KIT

.22LFB



- > Black alloy slide
- > Magazine
- > Windage adjustable rear sight
- > Chamber indicator and cleaning brush
- > Cleaning brush

TRIGGER	
SAO	20 N

> Skeletonized hammer

> Ambidextrous manual lever

and trigger

SIZE/BARREL LENGTH	
FULL-SIZE	5.0"

CALIBER	<b>9</b> <sub>x19</sub>	.45 <sub>ACP</sub>
MAGAZINE CAPACITY	10	8

ALL SPECIFICATIONS ARE SUBJECT TO CHANGE ( ) DENOTES MAGAZINE CAPACITY





## **PRACTICAL**

SIG SAUER offers hunters and sports shooters a variety of weapons that impress in terms of practicability. Here one can find timeless classics and legends of the shooting sports.







#### **Made in Germany**

#### NXT

The P226 of the next generation. The new P226 NXT pushes the limits of the Legend and sets a new benchmark when it comes to ruggedness and reliability.



ALL SPECIFICATIONS ARE SUBJECT TO CHANGE





NXT SIGHTS Newly designed luminant sights.



STRAIGHT TRIGGER Newly designed luminant sights.



NXT GRIP PLATES Super rough grip plates with integrated Jetfunnel.



METAL SIGHTS Sharp metal sights enable slide racking in extreme situations.



SIZE/BARREL LENGTH	
COMPACT	4,0"

<b>9</b> x19
(15)

ALL SPECIFICATIONS ARE SUBJECT TO CHANGE DENOTES MAGAZINE CAPACITY



P320®

### Made in Germany

The first P320 MADE IN ECKERNFÖRDE

## **CARRY HD**

The new P320 CARRY HD sets new standards for all that show no mercy to their pistol. Build in Eckernförde, made for the toughest missions. A real Heavy Duty Pistol.





LIGHTNING CUTS Aggressive design and ideal balance.




OPTICS READY For easy mounting of SIG SAUER red dot sights.



STRAIGHT TRIGGER Guarantees maximum control.



MAXIMUM SAFETY Ambidextrous manual safety.



3.9"

CALIBER	<b>9</b> x19
MAGAZINE CAPACITY	17

P226®

**P226 SL SO** An all time classic. Steel in steel. No compromises.



## P226 SL SO BT

9x19

- DA/SA trigger
- > Stainless finish
- › Fixed sight
- > Steel grip with rail
- › Beavertail
- > Polymer grips

TRIGGER	
DA/SA	44,5/19,6 N

SIZE/BARREL LENGTH	
FULL-SIZE	4.4"

CALIBER	<b>9</b> x19
MAGAZINE CAPACITY	P226

ALL SPECIFICATIONS ARE SUBJECT TO CHANGE DENOTES MAGAZINE CAPACITY



## **SP2022®**

## **PISTOLS PRACTICAL**



Service weapon of the French Police Nationale and Gendarmerie with more than 300,000 units.



	SIZE/BARREL LENGTH		CALIBER	
4,5/19,6 N	СОМРАСТ	3.9"	MAGAZINE CAPACITY	

ALL SPECIFICATIONS ARE SUBJECT TO CHANGE ( ) DENOTES MAGAZINE CAPACITY

#### P226 MK25 9x19



- > Black anodized aluminum grip with rail
- > Anchor engraving
- › UID label
- > Black nitron finish
- > Available with threaded barrel

## P226 CONVERSION KIT



.22LFB

- > Black anodized slide
- 116 mm barrel
- › Adjustable sight
- > 1 magazine
- > 10 rounds magazine capacity

## P226 AL SO BT






> DA/SA trigger

- > Fixed sight
- > Beavertail
- > Polymer grips

> 1913 Picatinny rail

TRIGGER	
DA/SA	44,5/19,6 N

**9**x19 15





Interchangeable grip modules provide optimal grip and enables the user to fit to his individual handsize.



**GRIP MODULES** 

LARGE

**MEDIUM** 

**SMALL** 

## SERIALIZED, **STAINLESS STEEL FRAME**

The serialized unit can be changed on everything from size to caliber to grip at will.

### **CHOOSE SIZE:**

Everything can be changed on the serialized unit, from size and caliber through to the grip.

## **P320® FEATURES**



### **EXCEPTIONAL TRIGGER**

A smooth, crisp trigger pull and short tactile reset deliver heightened accuracy.



## **3-POINT TAKEDOWN** NO TRIGGER PULL OR TOOLS REQUIRED:

- 1. Remove magazine
- 2. Lock slide to the rear
- 3. Rotate takedown lever

### **ADDITIONAL SAFETY FEATURES:**

- > Striker safety
- > Disconnect safety



**FULL-SIZE X GRIP** 



**FULL-SIZE** 



COMPACT



**SUBCOMPACT** 

## P320®

The chosen one. Being the winner of the MHS-tender, the SIG SAUER P320-M17 is the new pistol of the US-Army.



ALL SPECIFICATIONS ARE SUBJECT TO CHANGE









MCK MICRO CONVERSION KIT convertible to P320 without manual safety

TRIGGER	
STR	

SIZE/BARREL LENGTH	
FULL-SIZE	4.9"
СОМРАСТ	3.9"
SUBCOMPACT	3.6"

CALIBER	<b>9</b> <sub>x19</sub>	.45 <sub>ACP</sub>
	17)	10
MAGAZINE CAPACITY	15)	
	(12)	

ALL SPECIFICATIONS ARE SUBJECT TO CHANGE ODENOTES MAGAZINE CAPACITY

## P365®

The brandnew P365 sets the standard for all micro-compact pistols. With breathtakingly small sizes and an unparalleled magazine capacity of 10+1 rounds (optional: 12/15+1) the P365 is a superior representative of its class.



## P365 MS

9x19

- › Ultra compact design
- High magazine capacity
- > Total weight with magazine only 500g
- optionally available: 12 and 15 round magazine
- > Ambidextrous manual safety





12 and 15 rounds magazine capacity



P365 RH MINIWING HOLSTER, IWB



P365 RH HOLSTER, OWB



3.1″

CALIBER	<b>9</b> x19
MAGAZINE CAPACITY	10 12 15

ALL SPECIFICATIONS ARE SUBJECT TO CHANGE DENOTES MAGAZINE CAPACITY






# **MASTERSHOP**

The Mastershop fulfills individual wishes with detailed manual craftsmanship.Enthusiasts of individual and exclusive weapons: Welcome to the Mastershop ...





## **MASTERSHOP SPORT**

In our Mastershop Sport, you get the best performance and accurate tuning. Our specialists offer you prefabricated packages or individual tuning. A unique weapon results with unmistakeable and the required modifications to triggers, sights, barrel-weight, grips and compensators. Precision and performance exactly match the needs of the owner.



**P210 SKELETON SILVER** > Same specs as the P210 Skeleton Black

> Silver finish (stainless)

TRIGGER	
SAO	16 N
JAC	

SIZE/BARREL LENGTH	
FULL-SIZE	6.0"

19
)

ALL SPECIFICATIONS ARE SUBJECT TO CHANGE (

DENOTES MAGAZINE CAPACITY



P220 **SKELETON SILVER** 



9x19

TRIGGER FAT 10-16 N

CALIBER	<b>9</b> x19	.45 <sub>ACP</sub>
MAGAZINE CAPACITY	9	8

ALL SPECIFICATIONS ARE SUBJECT TO CHANGE ( ) DENOTES MAGAZINE CAPACITY

## **MASTERSHOP SPORT**



9x19 P226 X-FIVE SKELETON Same specs as the X-Six Skeleton; 5" barrel

FAT 10-16

**FULL-SIZE** 

MAGAZINE 19 CAPACITY

ALL SPECIFICATIONS ARE SUBJECT TO CHANGE ( ) DENOTES MAGAZINE CAPACITY





## X-FIVE OPEN

9x19

- > Compensator
- > Fully adjustable SAO trigger
- > Skeletonized hammer
- > Ambi slide racker
- > Factory mounted with ROMEO3 red dot sights



SIZE/BARREL LENGT	н
FULL-SIZE	5.0"

CALIBER	<b>9</b> x19
MAGAZINE CAPACITY	(19)

ALL SPECIFICATIONS ARE SUBJECT TO CHANGE ODENOTES MAGAZINE CAPACITY



## MASTERSHOP SPORT



ALL SPECIFICATIONS ARE SUBJECT TO CHANGE ( ) DENOTES MAGAZINE CAPACITY







PERFORMANCE TRIGGER



PERFORMANCE Take Down Lever



PERFORMANCE KIT TO TUNE YOUR X-SERIES PISTOL

Safety Lever, Trigger, Hammer, Slide Catch, Take Down Lever, Magazine Release




SIZE/BARREL LENGTH	
FULL-SIZE	6.0"

CALIBER	<b>9</b> x19
MAGAZINE CAPACITY	19

## **MASTERSHOP PRESTIGE**

Limited Masterpieces created from exclusive models, elaborate surface treatments and hand selected components.







## P210 MIDNIGHT



- > Barrel hand polished
- > Completely DLC coated



SIZE/BARREL LENGTH	
FULL-SIZE	5.0" 6.0"

CALIBER	<b>9</b> x19
MAGAZINE CAPACITY	8

ALL SPECIFICATIONS ARE SUBJECT TO CHANGE ( ) DENOTES MAGAZINE CAPACITY





## **P226 X-SIX MIDNIGHT**

9x19

- > X-SERIES modularity
- › Adjustable SAO trigger
- Hand polished and DLC coated
- ergonomic grip plates with integrated Jetfunnel
- › Adjustable sights



SIZE/BARREL LENGT	н
FULL-SIZE	6.0"
FULL-SIZE	6.0"

CALIBER	<b>9</b> x19
MAGAZINE CAPACITY	19

ALL SPECIFICATIONS ARE SUBJECT TO CHANGE DENOTES MAGAZINE CAPACITY



## **MASTERSHOP PRESTIGE**



X-SIX BLACK & WHITE

9x19



X-SHORT BLACK & WHITE



P220 X-SIX BLACK & WHITE



FAT 10-16 N

SIZE/BARREL LENGTH 4.4" **FULL-SIZE** 5.0" 6.0"


CALIBER **9**x19 MAGAZINE 19 CAPACITY

ALL SPECIFICATIONS ARE SUBJECT TO CHANGE ( ) DENOTES MAGAZINE CAPACITY



TRIGGER





SIZE/BARREL LENGTH	
FULL-SIZE	5.0" 6.0"

CALIBER	<b>9</b> x19
MAGAZINE CAPACITY	19

ALL SPECIFICATIONS ARE SUBJECT TO CHANGE ODENOTES MAGAZINE CAPACITY



## **MASTERSHOP PRESTIGE**



## **X-SIX VIOLINE**

9x19

Same specs as the X-Five Violine

6" barrel

## X-SHORT VIOLINE

9x19

Same specs as the X-Five Violine

4.4" barrel




SIZE/BARREL LENGTH			
FULL-SIZE	4.4" 5.0" 6.0"		

CALIBER	<b>9</b> x19
MAGAZINE CAPACITY	19

ALL SPECIFICATIONS ARE SUBJECT TO CHANGE ( ) DENOTES MAGAZINE CAPACITY





- > Polished magazine bottom
- > Jetfunnel
- › Adjustable rear sight
- > Polished control parts
- > Steel frame with 1913 Picatinny rail
- > Aluminum grip plates with carbon inlay

## X-SIX CHROME & CARBON

9x19

Same specs as the X-Five Chrome & Carbon

6" barrel



SIZE/BARREL LENGTH		
FULL-SIZE	5.0" 6.0"	

<b>9</b> x19
19



TRIGGER FAT 10-16 N



<b>9</b> x19
(19)

ALL SPECIFICATIONS ARE SUBJECT TO CHANGE ODENOTES MAGAZINE CAPACITY



## **MASTERSHOP INDIVIDUAL**

Mastershop Individual stands for one of a kind pieces of art. Hand refined by master engravers, these pistols represent the peak of what is possible.





## LIMITED GOLD EDITION

P226 X-SIX / X-FIVE / X-SHORT SKELETON

9x19

- > 24 carat gold coated
- > hand polished skeletonized control elements
- > ELYFORYN grip plates in high quality Ivory design

TRIGGER	
FAT	10-16 N

SIZE/BARREL LENGTH	
FULL-SIZE	4.4"
	5.0"
	6.0"

CALIBER	<b>9</b> x19
MAGAZINE CAPACITY	19

ALL SPECIFICATIONS ARE SUBJECT TO CHANGE ODENOTES MAGAZINE CAPACITY

## PISTOLS ACCESSORIES

## X-SERIES

**CONVERSION KITS** 

Consist each of complete slide, micrometer sight and 2 magazines



## **GRIPS**

FOR MASTERSHOP-PISTOLS

Countless options for grip plates enable the shooter to choose the ones that fit best.



Grip Hogue G10. DA/SA,

Black wood grips. DA/SA.

Extended walnut wood grips with integrated jetfunnel.

Extended black wood grips with integrated letfunnel.

## **RANGE BAG**

FOR ALL PISTOLS

The stylish bag allow the shooter to carry every form of gear. Timeless, pretty, convenient.



### MCK

### MICRO CONVERSION KIT

Optional for P320 models without manual safety



## SIG SAUER

### **X-CHANGE**

Holsters and Speedmag magazine holders for SIG SAUER and other brands. Compatible with all SIG TAC belts.



## SIG SAUER **KNIVES**

Folding knife with Tanto or Point


Fixed blade knife with Tanto blade. Black or Coyote Tan





## X-WEIGHT BARREL **WEIGHT MODULE 5"**

Contains X-Mount base plate, side elements. X-Five barrel weight and screws, weight 160 g





SPORT TAKEDOWN LEVER

Ergonomic takedown lever, self locking against unintentional turn



#### X-MOUNT BRIDGE-KIT 1

Consists of X-Mount ground section, sideparts, 1 pack of screws



X-MOUNT BRIDGE-KIT ROMEO1

With Aimpoint-sightplate



Enlarged magazine release (not shown)



## X-WEIGHT BARREL WEIGHT **MODULE 6"**

Contains X-Mount base plate, side elements, X-Six barrel weight and screws, weight 275 g



### AMBIDEXTROUS ADJUSTABLE SLIDE RACKER

Slide racking lever, adjustable for left hand or right hand use



#### MULTI-POSITION SIGHT

3-positions-sight, adjustable without tools, incl. front sight



### SKELETONIZED TRIGGER

For optical improvement and less weight

#### X-SERIES MAIN SPRING SEAT

For X-Series with new magwell (not shown)



## X-MOUNT ADAPTER

for ROMEO1+3/Aimpoint; for Docter Sight/C-More; Picatinny rail



### FLAT MATCHTRIGGER

Straight match trigger for the adjustable SAO trigger system



### COMPENSATED BARREL X-FIVE

5" barrel with M13, 5x1 left-thread and compensator



## X-SERIES ALUMINUM **JETFUNNEL**

Light metal jetfunnel for X-Series pistols, includes prolonged magazine-ground (+2 bullets), stainless finish



### ADAPTER PLATE FOR **FIXED SIGHT**

Adapter plate for fixed contrast sight, fits into LPA milling of X-Series slide



## ADAPTER PLATE X-SERIES FOR ROMEO1

In exchange for micrometer sight for X-Series



### SKELETONIZED HAMMER

For X-Series pistols with SAO-trigger



## SIGHT BLADE **INTERCHANGEABLE**

P226 X-Series/P220 X-Six Adaption of light gap and the contrast, each 2.75 mm, 3.0 mm and 3.5 mm cutting, last with yellow fiber optic inlays



## X-MOUNT BRIDGE-KIT 2

Consists of X-Mount ground section, side parts, screws, 3 different interfaces (for Docter, Romeo4/ Aimpoint, Picatinny) and storage bag



## X-LINE BARREL WEIGHT **ADAPTER 5"**

Optional 35 g barrel weight for models with 5" barrel



## X-LINE BARREL WEIGHT **ADAPTER 6"**

Contains X-Mount base plate, side elements, X-Six 150 g barrel weight and screws



### SIG SAUER TAC UHR

Quartz Chronometer various functions




# **RIFLES**

Whether highest precision over long distances or quick and precise shots in dynamic disciplines: SIG SAUER offers all that shooters need.









## **BOLT ACTION**

Classic bolt action rifles for long distances and maximum precision

## **RIFLES**

Modern sporting rifles with outstanding usability and reliable functionality

	NEW	NEW			
	200PHOENIX	200MAX	TR 200 MATCH	TR 200 MATCH JUNIOR	TR 200 RECRUIT
	BOLT ACTION	BOLT ACTION	BOLT ACTION	BOLT ACTION	BOLT ACTION
.22 L	<b>5</b>	5	5	5	5
6.	(C) (3) (5)	3 5	5	5	5
6,5X	55	3 5	5	5	
CREEDMO	.5 DR 5	3 5	5	5	5
.308 W	S 5	3 5	5		
.30- SPRINGFIE	( = \	3 5	5		

		California (California California	
	мсх	SIG 516	SIG 716
	INDIRECT IMPINGEMENT	INDIRECT IMPINGEMENT	INDIRECT IMPINGEMENT
.223 Rem.	10	(10)	
.308 WIN			(10)

ALL SPECIFICATIONS ARE SUBJECT TO CHANGE ODENOTES MAGAZINE CAPACITY

The Long-Range Specialist. When uncompromising precision is required on all distances. Equipped with a revolutionary aluminum chassis for radical stiffness.



## **200PHOENIX LONG RANGE BOLT ACTION RIFLE**

.22LFB 6XC 6.5x55 6.5 Creedmoor .308 WIN

- Outstanding Long-Range Performance
- Fully adjustable High-End Chassis
- > Modular with the best Long-Range calibers.

OPERATING SYSTEM	
BOLT ACTION RIFLE	

BARREL LENGTH	
700 mm	
	1

CALIBER	22LFB   6XC   6,5x55   6.5 Creedmoor   .308 win
MAGAZINE CAPACITY	(5)

ALL S	SPECIF	FICATIONS	ARE	SUBJECT	TO	CHANGE
-------	--------	-----------	-----	---------	----	--------

DENOTES MAGAZINE CAPACITY

## 2000/9/-/05/1



The new 200PHOENIX chassis is designed to retrofit all SIG SAUER TR200 and SSG3000 rifles.



Ultra stiff steel action with a bolt locking directly inside the barrel.



Fully adjustable Match Trigger that leaves no excuses.



MAXimum performance and inspiring versatility. The 200MAX combines legendary precision with stunning handling to open new fields to the shooter.



## **200MAX BOLT ACTION RIFLE**

6XC 6.5 Creedmoor 6,5x55 SE .308 WIN .30-06 SPR.

MAXimum versatility from modern Hunting to Long Range Shooting.

- > Easy barrel exchange.
- > 1.200g Match Trigger
- > Extreme modularity of a legendary system.

OPERATING SYSTEM	
BOLT ACTION RIFLE	

BARREL LENGTH
510 mm
600 mm
700 mm

6XC   6.5 Creedmoor   6,5x55 SE   .308 WIN   .30-06 Springfield
3 5

DENOTES MAGAZINE CAPACITY



## **BARREL CONFIGURATIONS**

All barrels with muzzle threads included



Standard: 51cm with 17mm contour Semi Sporter: 60cm with 19mm contour Ultra Match: 70cm with 21mm contour



MAX stocks are designed to retrofit all SIG SAUER TR200 and SSG3000 rifles.



Picatinny Rail optional.

# TR 200®

Many thousand TR rifles are proof of the maximum precision and durability of this product. Due to its modularity, the barrel and caliber are easily interchangeable.



## TR 200 MATCH

.308 WIN 6,5x55SKAN .22LFB

- Massive bolt action system with extremely smooth functionality
- > Optimized slide for maximum precision
- Cold hammer-forged barrels for prolonged durability

V	156	/
	人人	
ON	Thillips Skytter	





Successful in the whole of Scandinavia. For more than 30 years the SIG SAUER TR has been the standard rifle for elite shooters in Scandinavia. Each shooter fires more than 10,000 shots per year on average. The many different disciplines demand one thing above all: uncompromising precision and reliability.

OPERATING SYSTEM	
BOLT ACTION RIFLE	

BARREL LENGTH	
670 mm	
700 mm	
740 mm	
	_

CALIBER	.308win	<b>6.5</b> x55	. <b>22</b> LFB
MAGAZINE CAPACITY	5	5	5

ALL SPECIFICATIONS ARE SUBJECT TO CHANGE ( ) DENOTES MAGAZINE CAPACITY





- > Junior wood stock made of beech
- > Integrated UIT-rail for versatile options
- > Precise and adjustable diopter sight
- > adjustable cheekpiece
- > .22IfB change kit and left hand version available



- > Based on TR200 Match and Junior
- > Especially compact stock made of beech wood
- > Extra light floated 580 mm barrel
- > Available in .22lfB
- > Adjustable cheek rest, no tools needed



# SIG MCX® VIRTUS

The modular MCX Virtus: Built from the outset for sports shooting and hunting alike. Contains a reliable indirect impingement system. The new SIG SAUER MCX Virtus is a paragon of functionality and quality.



#### SIG MCX VIRTUS PATROL 16.6"

.223 REM

> Free-floating barrel

› Adjustable 2-position gas valve

› Ambidextrous controls

OPERATING SYSTEM	
INDIRECT	gas-valve
IMPINGEMENT	2 POSITION

BARREL LENGTH	
11.5"	
16.6"	

CALIBER	.223REM
MAGAZINE CAPACITY	10
:	



- > Cold hammer-forged barrel/11.5"
- > Telescoping stock



### A weapon system like no other

Do enhance accuracy, the MCX VIRTUS features the new SIG MATCHLITE™ Duo trigger for a crisp, clean feel. Free-floating M-LOK® handguards are available in four lengths. Ambidextrous, AR-style controls and a folding and collapsing stock enable the MCX VIRTUS Patrol to be tailored to any shooter. Built with the highest-quality components, the MCX VIRTUS is the apex predator of the carbine world.



SIG MATCHLITE Duo Trigger



Folding and Collapsing Five-Positon Stock



User-Changeable Cold Hammer-Forged Barrels



Aluminum M-LOK Handguard with QD Sling Cups



COLLAPSIBLE STOCK



MINIMALIST FOLDING STOCK



DMR SD HANDGUARD Extra long handguard for use of silencers



CARBINE SD HANDGUARD Extra short handguard for use of silencers

ALL SPECIFICATIONS ARE SUBJECT TO CHANGE ( ) DENOTES MAGAZINE CAPACITY



SIG 516®

An enhanced AR platform with a clean-running, more reliable operating system.



#### **SIG 516**

B5 Bravo SOPMOD stock .223 REM

OPERATING SYSTEM	
INDIRECT IMPINGEMENT	gas valve 4-POSITION

BARREL LENGTH	Г
10.0" 16.6"	

CALIBER	.223 <sub>REM</sub>
MAGAZINE CAPACITY	(10)





- > SIG 516 conversion kit 16.6" 16.6" barrel, caliber .223 Rem.
- > SIG 516 conversion kit 10" 10" barrel, caliber .223 Rem.

# SIG 716®

Lightweight sub MOA precision, reliability and big bore performance in a familiar AR package.



#### **SIG 716 DMR G2**

.308 WIN

> Two stage match trigger

- > KeyMod handguard
- MagPul PRS-stock
- 1 MOA precision

FUNKTIONSSYSTEM	
INDIRECT IMPINGEMENT	GAS VALVE 2-POSITION

BARREL LENGTH	CALIB	ER	
16.0"	MAGA CAPA		

.308win


SIG 716 PATROL

.308 WIN 16" barrel





break







2-position adjustable gas valve

AR style ambidextrous control elements

ALL SPECIFICATIONS ARE SUBJECT TO CHANGE ( ) DENOTES MAGAZINE CAPACITY



# RIFLE ACCESSORIES

### **SILENCERS**





#### **SILENCERS MONOLITH MCX**

- > optimized for MCX models (also with long handguards)
- > easy maintenance and ultra solid
- 3D printed in high-quality steel
- > Made by SIG SAUER Germany
- > Total weight: 430g



#### **SILENCERS** 200MONOLITH

- optimized for rifles of the SIG SAUER 200Series
- > easy maintenance and ultra solid
- 3D printed in high-quality steel
- > Made by SIG SAUER Germany

ALL SPECIFICATIONS ARE SUBJECT TO CHANGE

### **CONVERSION KITS**



#### TR 200 RECRUIT RH

.22LR, including barrel 580 mm, magazine and magazine adapter, right hand

#### TR 200 RECRUIT LH

.22LR, including barrel 580 mm, bolt, magazine and magazine adapter, left hand

#### **200PHOENIX**

Caliber .22LR, including barrel 710 mm, bolt, magazine and magazine adapter, right hand

#### **TR 200 RH**

Caliber .22LR, including barrel 710 mm, bolt, magazine and magazine adapter, right hand

#### **TR 200 LH**

Caliber .22LR, including barrel 710 mm, bolt, magazine and magazine adapter, left hand

### **DOUBLE RIFLE BAG**

The most comfortable solution to transport your rifle and gear safely and easily.



### **RIFLE SLINGS**



#### **ELASTIC SLING**

With carbine swivel black for AR 15

#### **ELASTIC SLING**

With carbine swivels FDE for AR 15

#### **ADJUSTABLE SLING**

With 2 carbine swivels for SIG 516

### **OPTICS AND MOUNTINGS**



#### SCOPE MOUNT **FOR SCOPE**

Scope Mount for scopes with 1" tube diameter for SSG and TR rifles

#### SCOPE MOUNT

#### **FOR SCOPE**

Scope Mount for scopes with 30 mm tube diameter for SSG and TR rifles

#### SCOPE MOUNT

#### **FOR SCOPE**

Scope Mount for scopes with 34 mm tube diameter for SSG and TR rifles

#### **DIOPTER**

Diopter sight for TR 200 right-handed

#### DIOPTER

Diopter sight for TR 200 left-handed

#### **DISTANCE PIECES**

#### FOR RED DOT SIGHTS

For scopes with 34 mm maintube for SSG and TR

### RIFLE STOCKS



#### **STOCK FOR TR 200**

Right-handed laminated beech wood

#### **STOCK FOR TR 200**

Left-handed laminated beech wood

#### **JUNIOR STOCK FOR TR 200**

Right-handed laminated beech wood

#### JUNIOR STOCK FOR TR 200

Left-handed laminated beech wood

#### STOCK 200PHOENIX

Right-handed Fully adjustable Aluminum Chassic, foldable, fits on TR200 and SSG3000

#### **RECRUIT STOCK FOR TR 200**

Right-handed laminated beech wood

#### **RECRUIT STOCK FOR TR 200**

Left-handed laminated beech wood

#### STOCK 200MAX

Right-handed Spider Tec Coated, adjustable cheekpiece, fits on TR200 and SSG3000

### **ACCESSORIES**

#### 200PHOENIX/MAX

Magazines 3 rounds and 5 rounds

Picatinny Rail for 11 mm Prism 0 MOA

#### **TR 200**

Magazine TR 200 Caliber .308 WIN 6.5 x 55 mm 5 rounds

Magazine TR 200 Caliber .22lfB 5 rounds

Magazine TR 200 5 rounds

Mirage band for TR 200 740 mm

Mirage band for TR 200 700 mm

Versa Pod bipod incl. hand-stop

# **COMPETITION/RECOMMENDED MODELS**

<ul><li>= recommended</li><li>= allowed</li></ul>						BDS	S (BL	JND	DEU	TSC RIFLE	HER	SC	HÜT	ZEN	1)				PI	STOL	1	DSB (	DEUT	SCHI	ER S	CHÜTZ RIFLE	ZEN BI	JND)				<b>VDF</b>	RBW PISTOL		(VERE	BAND DER BU	DER RI JNDES	ESERVI WEHR)	STEN
Model	2107	2108	3101	3102	3114	3115	3117	3118	3212	3312	3314	3412	3416	4101	4106	4107	IPSC rifle open	IPSC rifle Standard	9×19	.45ACP	.22lr 100m	.22lr sporting rifle	.22lr sporting	with rest	.zzir sum riflescope Carl Zeiss	.22lr 50m riflescope Carl Zeiss rest	Large bore standard rifle (3x20) men	Large bore sporting rifle (3x20)	.22lr prone competition	Large bore prone competition	P-D	PR-D	P-G	P-P-P	G-RS	- 6-HS	G-HS	G-RZF 1 G-HZF	- G-RX
P226 AL SO																			0												0	0	0	0					
P226 AL SO BT																			0		1										0	0	0	0	Т				$\top$
P226 SL																			0												•	•	0	0					
P226 SL SO																			0												•		0	0					
P226 X-Five																			•														•	•					
P226 X-Five Allround																			•														•	•	┸				
P226 X-Five Production Optics																																	Ш						
P226 X-Five SO																			0												•	•	0	•	丄				
P226 X-Five Open																																	Ш						
P226 RX																															1			.					
P220 AL SO																			0	0											0	0	0	0					
P220 X-Six																				•											1		•	0	$\top$				$\top$
P220 X-Six II PPC																																							
P220 Hunter																					1												0	0	Т				$\top$
9x19 Conversion Kit																			•														•	•					
P226 X-Six																			•														•	•					
P226 LDC II Tacops																			0														0	0					
P226 Legion																			0														0	0	┸				
P229 AL SO BT																			0												0	0	0	0					
.22lfB Conversion Kit for 4,4" P220/P226/P228/P229																																	Ш	•					$\perp$
P210 Legend																			0												4		_	0	4				4
P210 Supertarget																			•														•	•	┸				$\perp$
P320 Full-Size																			0												0	_	0	0	4				4
P320 Carry							_				_								0		1			_							0	_	0	0			$\perp$		
P320 Compact																			0		-										0	0	0	0	+				4
P320 X-Five																			0														0	0					
P320 RX Full-Size																																							
SP2022																			0												0	0	_						
1911 Emperor Scorpion																				0													0	0					4
1911 Max Full-Size																				•											丄	<u> </u>	•	•	┸				
1911 Stainless Super Target																																	•	•	4				4
P365																			0		_			_					_		$\perp$	₩'	ш	$\perp$	$\bot$				$\perp$
STR 200			•	•				•						•		•											•	•		•	4				•				4
.22IfB Conversion Kit for STR 200	•	0																			•	•	•		•	•			•						$\perp$				•
SSG 3000				•			•									•																						•	
.22IfB Conversion Kit for SSG 3000		•																																	$\perp$				
MCX Virtus Patrol 16,6"					•	•		0	•	•	•	•	•		•		•	•																		•	•		,
SIG 516 Patrol G2					•	•		0	•	•	•	•	•		•		•	•															Ш			•	•	-	
SIG Sport 550						•		0	•	•	•	0	0		•		0	0																		•	•		/

= recommended  = allowed							i		I <b>P (BUN</b>	ID D	ER MI	LITÄF	R- UI	ND P	OLI	ZEIS	СН	ĴΤΖΙ	EN)	RIF	ELE									ВС	)S (I	BUN	ID D	EUT	SCH STOL	ER	sc	HÜT	ΓZΕΙ	(۱					
Model	DP1	DP2	PP 1	PP 2	NPA Pistol	1500 Distin-	guished Pistol	Open Match	Standard Semi- Automatic Pistol	SP	Bianchi open class	Bianchi standard class	DKS 1	X	EPP	SG 1	562	LR	CISM	DG 3	ZG 2	ZG 3	ZG 4	FG 1	FC	1001/	1201	1010/	1210/	121 121 121 121	1301	1316	1310	1401	1410	141	1501	1516	IPSC	IPSC standard		production		production classic	IPSC KK
P226 AL SO	0	0	0	0	0 (	)	0	0	0	0	0	0			0											0					0	0		0	(	5	0	0	0	0	0	)			
P226 AL SO BT			_	$\rightarrow$	_	_	0	0	0	0	0	0			0											0					0	0		0	(	-	0	0	0	0	0	_			
P226 SL			_	-	_	_	0	0	0	0	0	0			0											0			_		0	0		0		-	0	0	0	0	_	_			
P226 SL SO	•	•	_	_	_	_	0	0	0	0	0	0			0											0			_		0	0		0	_	_	0	0	0	0	0	)		_	
P226 X-Five			-	-	_	_	•	0		•	0	•			•											•		_	_		•	0		•		_	•	0	0	•	4	_	_	_	
P226 X-Five Allround			0	<u> </u>	0 (	>	0	0		0	0	0			•											0	O.405	W.Si	_	$\rightarrow$	0	0		0	_	_	0	0	0	•	•	<u> </u>	$\perp$		
P226 X-Five Production Optics								0			0																			•		•						•	0		+		-	•	
P226 X-Five SO	•	•	•	•	• (		0	0	•	0		0			0											0	●.403	W&i	_	$\rightarrow$	0	0		0	_	-	0	0	0	•	+		+	_	
P226 X-Five Open			-	_			-	•			•															1			-	•	-	•			-		_		•		Owith		+	-	
P226 RX								0			0																			0		•			- 1			•	0		ROME		•	•	
P220 AL SO	0	0	0	0	0 0	) ·	0	0	0	0		0															O.405	w.si			0	0		0	(	5	0	0	0	0	0	)			
P220 X-Six			0	0	0 0	)		0		•		0															•				•	0		•	(	о <u> </u>	•	0	0						
P220 X-Six II PPC										•																					•				(	>		0	0						
P220 Hunter			0	0	0 (	)	0	0																			0				0	0		0	(	<u> </u>	0	0	0						
9x19 Conversion Kit			•	•	• (	)	•	0		•		•																			•	0		•	(	2	•	0			4				
P226 X-Six			-	-	_	>	_	0		•		•														_					•	0		•		_	•	0							
P226 LDC II Tacops			_	-	_		0	0		0	0	0			0											0					0	0		0		_	0	0	0	0	4				
P226 Legion	0	0	_	_	_	_	0	0		0	0	0			0											0	_		_	_	0	0		0	_	_	0	0	0	0	_		_	_	
P229 AL SO BT	0	0	0	0	0 (	)	0	0	0	0	0	0			0											0	O.405	W&i			0	0		0	(	2	0	0	0	0	0	)	_	_	
.22lfB Conversion Kit for 4,4" P220/P226/P228/P229													•	•														•	•				•		•						$\perp$				•
P210 Legend			_	_			0	0	0	0		0														•					0	0		0	_	_	0	0			4		4	_	
P210 Supertarget	Ш		$\rightarrow$	_	_	>	_	0		•		•														•	_		_	_	•	0		•	_	_	•	0			_		_	_	
P320 Full-Size	0	0	_	_	_		0	_	0	0	0	0			0											0					0	0		0		_	0	0	0	0			_	_	
P320 Carry	0	0	_	-	_	_	0	0	0		0	0			0											0	_		_		0	0		0		-	0	0	0	0	0	)	+		
P320 Compact	0	0	0	0	0 0	)	0	0	0	0	0	0			0											0			_		0	0		0	(	о   	0	0			+-	_	+	_	
P320 X-Five			0	0	0 0		0	0		0	0	0			0											0				Owith ROME01		Owith ROME01		0		with AEO1	0	Owith ROME01	0	0	Owith			with DMEO1	
P320 RX Full-Size								0			0																			0		•			-				0		Owith		-	•	
SP2022	0	0	0	0	0 0	5 ·	0	0	0	0	0	0			0											0	O.405	w.si			0	0		0	(	5	0	0	0	0	0	)	Т		
1911 Emperor Scorpion			0	0	0 (	)	0	0	0		0	0															0				0	0		0		o	0	0	0	0		0			
1911 Max Full-Size			•	•	• (		•	0			0	•															•				•	0		•	(	)	•	0	0	0		•			
1911 Stainless Super Target			•	•	• (			0				•																			•	0		•	(	o	•	0	0	0					
P365			0	0	0 (	)	0	0		0	0	0														0					0	0							0	0	$\perp$				
STR 200																•	•		•			•		•	•																4				
.22IfB Conversion Kit for STR 200																																									$\perp$				
SSG 3000																					•	•			•																4				
.22IfB Conversion Kit for SSG 3000																																									$\perp$				
MCX Virtus Patrol 16,6"																				•	0	0	•													4					4				
SIG 516 Patrol G2			_																	•	0	0	•						_							_					$\perp$		$\perp$		
SIG Sport 550																				•	0	0	•																						

## **PISTOL SPECIFICATIONS**

	CALIBER/MAG CAPACITY	ACTION SYSTEM/ TRIGGER PULL (N)	MEASUREMENTS WE	EIGHT* SIGHTS	GRIPS	FRAME FRA	AME FINISH SLIDE	SLIDE FINISH	OTHER
Model	.22LFB .380ACP 9x19 .40S&W .45ACP 10 mm AUTO	DA/SA SAO	Length (mm) Height (mm) Width (mm) Barrel Length (nch) Sight Radius (mm)	With Magazine (g) Contrast Adjustable Target Multiposition Red Dot	Polymer Wood Rubber Aluminum	Aluminum Stainless Polymer Black	Stainless Polymer Camouflage Aluminum Stainless	Black Nitron Stainless Polished Sides Gold Plated Sides Camouflage	Accessory Rail Beavertail Ambi-Safety Magwell
X-SHORT CLASSIC	19 14	10-16	209 150 44 4 165 1	1238	•	•		•	
X-FIVE CLASSIC	19   14	10-16	224 150 44 5 181 1	1270	•	•	•	•	• • •
X-SIX CLASSIC	19 14	10-16	249 150 44 6 209 1	1330	•	•	•	•	• • • •
X-SHORT SUPERMATCH	19 14	10-16	209 150 44 4 165 1	1255	•	•	•	•	• • •
X-FIVE SUPERMATCH	19 14	10-16	224 150 44 5 181 1	1287	•	•	•	•	• • • •
X-SIX SUPERMATCH	19 14	10-16	249 150 44 6 209 1	1360	•	•	•	•	• • • •
X-FIVE ALLROUND	17 12	45/18	224 144 37 5 181 1:	1260	•	•	•	•	• •
X-FIVE PRODUCTION OPTICS	17 12	45/18	223 162 40 5 120 1	1882	•	•	•	•	• •
X-FIVE SO	19 14	20	224 150 44 5 175 1	1265 •	•	• •	•	•	• •
X-FIVE OPEN	25	10-16	277   188   53   5   / 1	1642	• •	•	• • • •	•	•   •   •   •
X-SIX PPC	14	10-16	252 153 50 6 225 1	1299	•	•	•	•	• • • •
X-FIVE SKELETON	19	10-16	224   150   44   5   181   1	1217	•	•	•	•	• • • •
X-SIX SKELETON	19	10-16	249   150   44   6   209 1	1283	•	•	• • • •	•   •	•   •   •   •
X-SHORT BLACK & WHITE	19	10-16	209 150 44 4 165 1	1225	•	• •	•	• • •	• • • •
X-FIVE BLACK & WHITE	19	10-16	224   150   44   5   181   1	1257	•	•	•	•     •	• • • •
X-SIX BLACK & WHITE	19	10-16	249   150   44   6   209   1	1334	•	• •	•	• • • • • • • • • • • • • • • • • • • •	• • • •
X-FIVE SCANDIC	19	10-16	224   150   44   5   181   1	1259	•	•	•	• • •	• • • •
X-SIX SCANDIC	19	10-16	249 150 44 6 209 1	1332	•	•	•	• • • •	• • •
X-SHORT VIOLINE	19 14	10-16	209 150 44 4 165 1	1242	•	•	•	• • •	• • • •
X-FIVE VIOLINE	19 14	10-16	224 150 44 5 181 1	1274	•	•	•	• • • •	• • •
X-SIX VIOLINE	19 14	10-16	249 150 44 6 209 1	1334	•	•	•	• • •	• • • •
X-FIVE CHROME & CARBON	19 14	10-16	224 150 44 5 181 1	1345	•	•	• • •	• •	• • • •
X-SIX CHROME & CARBON	19   14	10-16	249   150   44   6   209 1	1405		•	• • • •	• • • •	•   •   •   •
P220 X-SIX	9 8	10-16	252 145 44 6 219 1	1346	•	<u> </u>	<u> </u>	<u> </u>	• • • •

ÄNDERUNGEN VORBEHALTEN

<sup>\*</sup>MATERIAL-DEPENDANT VARIATIONS POSSIBLE

	CALIB	ER/MAI	G CAPAC	CITY		ION SY	'STEM/ ULL (N)		MEAS	SUREM	ENTS		Weig W, MAGA (G	/ ZINE		SIGHT	s		GRIPS	6	FF	RAME		FRAI	ME FIN	IISH	SL	IDE	SI	IDE	FINIS	SH		ОТІ	HER	
Model	.22LR 	9x19	.40S&W .45ACP	10 mm AUTO	DA/SA	SRT (DA/SA)	SAO	Length (mm)	Height (mm)	Width (mm)	Muzzle Thread (mm)	Sight Radius (mm)	Alu/Polymer	Stainless	Contrast	Night Sights	Adjustable larget	Polymer	Wood	Rubber	Aluminum	Stainless Polymer	Joel a	Didck	Stainless	FDE		Stainless	Black	101 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	INITION INITIO	PVD	Accessory Rail	Beavertail	Ambi-Safety 	Heavy Frame
P210 LEGEND		8				16		216	143 3	33 5		160		1046	•				•			•	Τ•		•			•	•		•	•		•		•
P210 SUPERTARGET (5")		8			į	16		229	147 5	50 5		170		1160		- [ •	• :											•								
P210 SUPERTARGET (6")		8				16		256	147 4	17 6		201		1232		-   -	•											•								
P226 DA/SA	10	15	12		50/26		1 1	196	140 3	88 4		160	964	1196	į	•	i	•	•		•	•	ŀ	•	•	į		•		• •	•	•	•	•	•	
P226 MK25	i	15	į		44/20		1 1	196	140 3	88 5		160	975		•	i	i	•			•	į	ŀ	•		•		•	'	• •	•	- 1	•	i	į	
P226 LDC II		17			44/20			206	140 3	88 4		150		1230		•	•	•				•	ŀ		•			•	•		•	•	•	•		
P320 FULL-SIZE		17	10				34	1 206	140 3	3 5		168	836		•	•		•				•			•			•		•	•	•	•			
P320 COMPACT		15	į		į		34	1 183	135 3	33 4		147	731		•	•	į	•				•			•	i		•		•	•	•	•	i	į	
P320 SUBCOMPACT		12					34	170	119 3	33 4		140	706		•	•		•				•			•			•		•	•	•				
P320 RX FULL-SIZE	i	17	į		į		34	1 206	157 3	3 5		168	836				•	•				•			•	İ		•			•	i	•	i	į	
P320 RX COMPACT		17					34	1 183	152 3	3 5		175	731				•	•				•			•			•		•	•		•			
P320 X-FIVE	- !	21	18		-		34	1 218	147 3	3 5		175	992		- !		• ‡	<u>  •</u>				•			•			•			• ‡	-	•	•	•	
SP2022		15	12		44,5/9,6			188	145 3	36 4		150	822		•		-	•				•	1.					•		•	•	•	•			
1911 STAINLESS		<u> </u>	8				20	221	140 3	6 5	-	165	i	1179	•	•			•			•		•	•	- 1		•			• •	• !		•	•	
1911 STAINLESS SUPERTARGET							20	221	140 3	6 5		165		1179		- ; •	• ‡		•			•			•			•		-	•	•		•	• •	
1911 MAX FULL-SIZE			9 8	;	!		22	221	140 3	6 5	! !	165	- !	1179	_	_ ; •	• <u> </u>		-	•		•	L	-	•			•	-	•	• ¦	- !	L	•	•   •	
1911 .22LFB	10						19-25	218	140 3	37 5		163		1179	•	-  -		•			•		1.	<b>'</b>		-					-			•		
P365		10	!				24	1 147	109   2	26 3	!	123	500		•	- !	-!	<u> </u>	!		- 1	•		•	! !	- !				- ; •	• !	!	•	- !	- !	
P320 X-FIVE ALPHA NEW	i	17			į		24	1 218	147   3	33   5	i	175	i	1300	i	i e	· ;		i		- 1	•	T	į	•	i			•	i	i	i	•	•	•   •	
P320 Carry HD NEW	i	17			i		34	1 183	135 3	33 4		168	İ	731	•			1.				•	١.			i		•	•				•	•	•	
P226 NXT NEW		15			50/27			196	140 3	38 4		160		964	•	-		•			•				•			•	•			-	•	•	•	

# **RIFLE SPECIFICATIONS**

Modelle	CALIBER	ACTION TYPE	SYSTEM	STOCK TYPE	FOREND TYPE	WEIGHT W/ MAGAZINE	OVERALL LENGTH	COLLAPSED LENGTH	FOLDED LENGTH	BARREL LENGTH	RIFLING	TRIGGER	TRIGGER WEIGHT	MAG TYPE	MAG CAPACITY
SIG SAUER MCX VIRT	US	1		1				1			ſ			1	Î
MCX VIRTUS PATROL 16,6"	.223 Rem.	Semi Auto	Gas-Piston, Rotating Bolt	5-position telescoping stock	Alu M-Lok	3,6	901	673	N.V.	16.6	1:7	Matchlite-Duo	20-27	AR-15	10
MCX VIRTUS PATROL 11,5"	.223 Rem.	Semi Auto	Gas-Piston, Rotating Bolt	Telescoping stock	Alu M-Lok	3,4	787	N.V.	N.V.	11.5	1:7	Matchlite-Duo	20-27	AR-15	10
SIG 516	•				,							•		•	
516 Patrol	.223 Rem.	Semi Auto	Gas-Piston, Rotating Bolt	MIL-SPEC 6-Positionen	Quad-Rail Aluminum	3,4	927	845	N.V.	16,6	1:7	MIL-SPEC	24-40	AR15	10
SIG 716	•			'						1	1			'	
716 DMR	.308 Win.	Semi Auto	Gas-Piston, Rotating Bolt	MIL-SPEC 6-Positionen	Alu KeyMod	5,1	950	N.V.	N.V.	18	1:10	Two-Stage		AR10	10/20
SSG 3000	•			1				'		1		1	ı	1	
SSG 3000 Patrol	.308 Win.	Bolt Action	Bolt Action	Fixed	w/o	4,9	1130	N.V.	N.V.	24	1:10	Standard	17	Box	5
SSG 3000 Target	.308 Win.	Bolt Action	Bolt Action	Adjustable Stock	w/o	5,3	1135	N.V.	N.V.	24	1:10	Standard	17	Box	5
STR 200	•	'		'				'		1	1	1		•	
Recruit	.308 Win. 6,5x55 SKAN .22LR	Bolt Action	Bolt Action	Stock	w/o	4,8	990	N.V.	N.V.	580	1:12	Standard	10-16	Box	5
Match	.308 Win. 6,5x55 SKAN .22LR	Bolt Action	Bolt Action	Adjustable Stock	w/o	5,5	1185	N.V.	N.V.	670-740	1:12	Standard	10-16	Box	5
Match Junior	.308 Win. 6,5x55 SKAN .22LR	Bolt Action	Bolt Action	Adjustable Stock	w/o	5,7	1175	N.V.	N.V.	670-710	1:12	Standard	10-16	Box	5
200MAX NEW															
Recruit	.6XC 6.5Creedmoor 6,5x55 SE .308Win .30-06 Springfield	Bolt Action	Bolt Action	Spider Tec coated wood adjustable	Alu M-LOK	3,5	1010 - 1200	N. V.	N. V.	510 - 700	1:7,5 1:10	Direct	12	Вох	3 5
200PHOENIX NEW															
Recruit	6XC 6.5 Creedmoor 6,5x55 SE .308Win	Bolt Action	Bolt Action	Aluminum fully adjustable	Ohne	5,7	1190	N. V.	840	700	1:10	Match	16	Вох	5



SIG SAUER GmbH & Co. KG • Sauerstr. 2-6 • 24340 Eckernförde, Germany

An ISO 9001:2015 Certified Company

www.sigsauer.de